

Refine Search

Search Results -

Terms	Documents
(L4 or L5) and (estimat\$4 near cardinal\$5)	3

Database: US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L6

Search History

DATE: Friday, August 18, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
<u>L6</u>	(L4 or L5) and (estimat\$4 near cardinal\$5)	3	<u>L6</u>
<u>L5</u>	L1 and L3	125	<u>L5</u>
<u>L4</u>	L1 and L2	129	<u>L4</u>
<u>L3</u>	"data mining"	7454	<u>L3</u>
<u>L2</u>	data near mining	7582	<u>L2</u>
<u>L1</u>	sampl\$3 same statistic\$4 same collect\$4	4328	<u>L1</u>

END OF SEARCH HISTORY

12/26 8/18/06

Refine Search

Search Results -

Terms	Documents
L6 and (query\$3 near condition)	1

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search: L7    Refine Search

Recall Text Clear Interrupt

Search History

DATE: Friday, August 18, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L7</u>	L6 and (query\$3 near condition)	1	<u>L7</u>
<u>L6</u>	(L4 or L5) and (estimat\$4 near cardinal\$5)	3	<u>L6</u>
<u>L5</u>	L1 and L3	125	<u>L5</u>
<u>L4</u>	L1 and L2	129	<u>L4</u>
<u>L3</u>	"data mining"	7454	<u>L3</u>
<u>L2</u>	data near mining	7582	<u>L2</u>
<u>L1</u>	sampl\$3 same statistic\$4 same collect\$4	4328	<u>L1</u>

END OF SEARCH HISTORY

Print 8/18/06

Refine Search

Search Results -

Terms	Documents
L14 and (regression near function)	1

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

Refine Search
Recall Text
Clear
Interrupt

Search History

DATE: Friday, August 18, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> <u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
result set		
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L15</u> L14 and (regression near function)	1	<u>L15</u>
<u>L14</u> L13 and (calculat\$4 same estimat\$4 same query\$3)	2	<u>L14</u>
<u>L13</u> L10 and (estimat\$4 same query\$3)	7	<u>L13</u>
<u>L12</u> L11 not L6	3	<u>L12</u>
<u>L11</u> L10 and (query\$3 near condition)	4	<u>L11</u>
<u>L10</u> L9 and tun\$3	40	<u>L10</u>
<u>L9</u> L8 and ((data set) or dataset or (data near set))	230	<u>L9</u>
<u>L8</u> sampl\$3 and queries and cardinal\$4 and min\$3	436	<u>L8</u>
<u>L7</u> L6 and (query\$3 near condition)	1	<u>L7</u>
<u>L6</u> (L4 or L5) and (estimat\$4 near cardinal\$5)	3	<u>L6</u>
<u>L5</u> L1 and L3	125	<u>L5</u>
<u>L4</u> L1 and L2	129	<u>L4</u>
<u>L3</u> "data mining"	7454	<u>L3</u>
<u>L2</u> data near mining	7582	<u>L2</u>

L1 sampl\$3 same statistic\$4 same collect\$4

4328 L1

END OF SEARCH HISTORY

Hit List

First Hit	Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs
		Generate OACS			

Search Results - Record(s) 1 through 1 of 1 returned.

1. Document ID: US 20040128287 A1

L15: Entry 1 of 1

File: PGPB

Jul 1, 2004

PGPUB-DOCUMENT-NUMBER: 20040128287

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040128287 A1

TITLE: Self tuning database retrieval optimization using regression functions

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Drawn D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	---------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------

Terms	Documents
L14 and (regression near function)	1

Display Format: [-] [Change Format](#)

[Previous Page](#) [Next Page](#) [Go to Doc#](#)

Refine Search**Search Results -**

Terms	Documents
L24 not L19	0

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Denwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Friday, August 18, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
			result set
<u>L25</u>	L24 not L19	0	<u>L25</u>
<u>L24</u>	L23 and L17	2	<u>L24</u>
<u>L23</u>	(L20 or L21 or L22) and L16	193	<u>L23</u>
<u>L22</u>	707/200-206.ccls.	7569	<u>L22</u>
<u>L21</u>	707/100-104.1.ccls.	14940	<u>L21</u>
<u>L20</u>	707/1-10.ccls.	22115	<u>L20</u>
<u>L19</u>	L16 and L17	2	<u>L19</u>
<u>L18</u>	L1 and L16 and L17	1	<u>L18</u>
<u>L17</u>	regression near function	680	<u>L17</u>
<u>L16</u>	calculat\$4 same estimat\$4 same query\$3	509	<u>L16</u>
<u>L15</u>	L14 and (regression near function)	1	<u>L15</u>
<u>L14</u>	L13 and (calculat\$4 same estimat\$4 same query\$3)	2	<u>L14</u>
<u>L13</u>	L10 and (estimat\$4 same query\$3)	7	<u>L13</u>
<u>L12</u>	L11 not L6	3	<u>L12</u>

<u>L11</u>	L10 and (query\$3 near condition)	4	<u>L11</u>
<u>L10</u>	L9 and tun\$3	40	<u>L10</u>
<u>L9</u>	L8 and ("data set") or dataset or (data near set))	230	<u>L9</u>
<u>L8</u>	sampl\$3 and queries and cardinal\$4 and min\$3	436	<u>L8</u>
<u>L7</u>	L6 and (query\$3 near condition)	1	<u>L7</u>
<u>L6</u>	(L4 or L5) and (estimat\$4 near cardinal\$5)	3	<u>L6</u>
<u>L5</u>	L1 and L3	125	<u>L5</u>
<u>L4</u>	L1 and L2	129	<u>L4</u>
<u>L3</u>	"data mining"	7454	<u>L3</u>
<u>L2</u>	data near mining	7582	<u>L2</u>
<u>L1</u>	sampl\$3 same statistic\$4 same collect\$4	4328	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L7 and L1	0

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Friday, August 18, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
<u>L10</u>	L7 and L1	0	<u>L10</u>
<u>L9</u>	L6 and L1	0	<u>L9</u>
<u>L8</u>	(L4 or L5) and L1	0	<u>L8</u>
<u>L7</u>	708/7.ccls.	169	<u>L7</u>
<u>L6</u>	708/6.ccls.	89	<u>L6</u>
<u>L5</u>	708/2-3.ccls.	276	<u>L5</u>
<u>L4</u>	715/538.ccls.	63	<u>L4</u>
<u>L3</u>	L1 and L2	2	<u>L3</u>
<u>L2</u>	regression near function	680	<u>L2</u>
<u>L1</u>	calculat\$4 same estimat\$4 same query\$3	509	<u>L1</u>

END OF SEARCH HISTORY

SEARCH 8/18/06

Refine Search

Search Results -

Terms	Documents
L16 and (min\$3 with model)	1

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search: L17   Refine Search

Recall Text Clear Interrupt

Search History

DATE: Friday, August 18, 2006 [Printable Copy](#) [Create Case](#)

Set Name Query
side by side

Hit Count Set Name
result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L17</u> L16 and (min\$3 with model)	1	<u>L17</u>
<u>L16</u> (L12 or L13) and ((frequency or frequencies) near occurrence)	5	<u>L16</u>
<u>L15</u> L14 and (regression near function)	1	<u>L15</u>
<u>L14</u> (L12 or L13) and regression	4	<u>L14</u>
<u>L13</u> L12 not L11	5	<u>L13</u>
<u>L12</u> L1 and (sampl\$3 same querie\$1)	65	<u>L12</u>
<u>L11</u> L1 and (sampl\$ same querie\$1)	60	<u>L11</u>
<u>L10</u> L7 and L1	0	<u>L10</u>
<u>L9</u> L6 and L1	0	<u>L9</u>
<u>L8</u> (L4 or L5) and L1	0	<u>L8</u>
<u>L7</u> 708/7.ccls.	169	<u>L7</u>
<u>L6</u> 708/6.ccls.	89	<u>L6</u>
<u>L5</u> 708/2-3.ccls.	276	<u>L5</u>
<u>L4</u> 715/538.ccls.	63	<u>L4</u>

<u>L3</u>	L1 and L2	2	<u>L3</u>
<u>L2</u>	regression near function	680	<u>L2</u>
<u>L1</u>	calculat\$4 same estimat\$4 same query\$3	509	<u>L1</u>

END OF SEARCH HISTORY

Hit List

First Hit	Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs
Generate OACS					

Search Results - Record(s) 1 through 1 of 1 returned.

1. Document ID: US 20040128287 A1

L17: Entry 1 of 1

File: PGPB

Jul 1, 2004

PGPUB-DOCUMENT-NUMBER: 20040128287

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040128287 A1

TITLE: Self tuning database retrieval optimization using regression functions

[Full](#) | [Title](#) | [Citation](#) | [Front](#) | [Review](#) | [Classification](#) | [Date](#) | [Reference](#) | [Sequences](#) | [Attachments](#) | [Claims](#) | [KMC](#) | [Draw D](#)

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-----------------------	-------------------------------------	-----------------------	--------------------------	---------------------------	-------------------------------

Terms	Documents
L16 and (min\$3 with model)	1

Display Format: [-] [Change Format](#)

[Previous Page](#) [Next Page](#) [Go to Doc#](#)

mmt 8/18/06

Refine Search

Search Results -

Terms	Documents
L4 and (mining near model)	1

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Denent World Patents Index
IBM Technical Disclosure Bulletins

Search: L5

Search History

DATE: Friday, August 18, 2006 [Printable Copy](#) [Create Case](#)

Set Name Query
side by side

Hit Count Set Name
result set

DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L5</u> L4 and (mining near model)	1	<u>L5</u>
<u>L4</u> L3 and (estimat\$4 near (cardinality or cardinalities))	20	<u>L4</u>
<u>L3</u> L2 and (estimat\$4 with (cardinality or cardinalities))	27	<u>L3</u>
<u>L2</u> L1 and model	273	<u>L2</u>
<u>L1</u> calculat\$4 same estimat\$4 same query\$3	509	<u>L1</u>

END OF SEARCH HISTORY

Hit List

First Hit	Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs
Generate OACS					

Search Results - Record(s) 1 through 1 of 1 returned.

1. Document ID: US 20040128287 A1

L5: Entry 1 of 1

File: PGPB

Jul 1, 2004

PGPUB-DOCUMENT-NUMBER: 20040128287

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040128287 A1

TITLE: Self tuning database retrieval optimization using regression functions

[Full](#) | [Title](#) | [Citation](#) | [Front](#) | [Review](#) | [Classification](#) | [Date](#) | [Reference](#) | [Sequences](#) | [Attachments](#) | [Claims](#) | [KMC](#) | [Drawn D...](#)

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-----------------------	-------------------------------------	-----------------------	--------------------------	---------------------------	-------------------------------

Terms	Documents
L4 and (mining near model)	1

Display Format: [-] [Change Format](#)

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)

Printed 8/18/06

Refine Search

Search Results -

Terms	Documents
L9 and (regression same function same (updat\$3 or chang\$3 or modif\$4))	2

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search: L12

Search History

DATE: Friday, August 18, 2006 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set</u> <u>Name</u>
side by side			result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L12</u>	L9 and (regression same function same (updat\$3 or chang\$3 or modif\$4))	2	<u>L12</u>
<u>L11</u>	L9 and (regression same function same (updat\$3 or chang\$3 or modif\$8))	2	<u>L11</u>
<u>L10</u>	L9 and (regression same function same (updat\$3 or chang\$3 or modif\$))	2	<u>L10</u>
<u>L9</u>	L8 and L4	19	<u>L9</u>
<u>L8</u>	707/\$.ccls.	37005	<u>L8</u>
<u>L7</u>	L6 and L4	0	<u>L7</u>
<u>L6</u>	708/\$.ccls.	28072	<u>L6</u>
<u>L5</u>	L4 and (mining near model)	1	<u>L5</u>
<u>L4</u>	L3 and (estimat\$4 near (cardinality or cardinalities))	20	<u>L4</u>
<u>L3</u>	L2 and (estimat\$4 with (cardinality or cardinalities))	27	<u>L3</u>

<u>L2</u>	L1 and model	273	<u>L2</u>
<u>L1</u>	calculat\$4 same estimat\$4 same query\$3	509	<u>L1</u>

END OF SEARCH HISTORY

Hit List

[First Hit](#)[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Search Results - Record(s) 1 through 2 of 2 returned.

1. Document ID: US 20050097078 A1

L12: Entry 1 of 2

File: PGPB

May 5, 2005

PGPUB-DOCUMENT-NUMBER: 20050097078

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050097078 A1

TITLE: System, method, and computer program product for progressive query processing

[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Sequences](#) [Attachments](#) [Claims](#) [KMC](#) [Draw D](#)

2. Document ID: US 20040128287 A1

L12: Entry 2 of 2

File: PGPB

Jul 1, 2004

PGPUB-DOCUMENT-NUMBER: 20040128287

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040128287 A1

TITLE: Self tuning database retrieval optimization using regression functions

[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Sequences](#) [Attachments](#) [Claims](#) [KMC](#) [Draw D](#)

[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Terms	Documents
L9 and (regression same function same (updat\$3 or chang\$3 or modif\$4))	2

Display Format: [-] [Change Format](#)

[Previous Page](#)[Next Page](#)[Go to Doc#](#)

SEARCH / 8/18/06

ACM PORTAL
USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

"method estimating query" + "generating sampling" + "regres"

SEARCH

THE ACM PORTAL

 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [method estimating query generating](#)
[sampling regression function cardinality estimate data mining](#)
[model](#)

Found 1 of 184,245

Sort results by relevance
Display results expanded form

Save results to a Binder
 Search Tips
 Open results in a new window

Try an [Advanced Search](#)
Try this search in [The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale

1 [Data warehouse design 2: Sense & response service architecture \(SARESA\): an approach towards a real-time business intelligence solution and its use for a fraud detection application](#)



Tho Manh Nguyen, Josef Schiefer, A. Min Tjoa
November 2005 **Proceedings of the 8th ACM international workshop on Data warehousing and OLAP DOLAP '05**

Publisher: ACM Press

Full text available:  pdf(1.60 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The dynamic business environment of many organizations require massive monitoring of their processes in real-time in order to proactively respond to exceptional situations and to take advantage of time-sensitive business opportunities. The ability to sense and interpret events about a changing business environment requires an event-driven IT infrastructure for performing fast and well-informed decisions and putting them into action. However, traditional Business Intelligence (BI) and Data Wareh ...

Keywords: data analysis, event sense & response, real-time business intelligence, real-time data warehousing and OLAP

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

SEARCH 8/18/06

 **PORTAL**
USPTO

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

"system estimating query" + "generating sampling" + "regress"

 Feedback Report a problem Satisfaction survey

Terms used system estimating query generating
sampling regression function cardinality estimate data mining
model

Found 1 of 184,245

Sort results by relevance Save results to a Binder
Display results expanded form Search Tips
 Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 1 of 1

Relevance scale

- 1 Data warehouse design 2: Sense & response service architecture (SARESA): an approach towards a real-time business intelligence solution and its use for a fraud detection application

Tho Manh Nguyen, Josef Schiefer, A. Min Tjoa

November 2005 **Proceedings of the 8th ACM international workshop on Data warehousing and OLAP DOLAP '05**

Publisher: ACM Press

Full text available:  pdf(1.60 MB) Additional Information: full citation, abstract, references, index terms

The dynamic business environment of many organizations require massive monitoring of their processes in real-time in order to proactively respond to exceptional situations and to take advantage of time-sensitive business opportunities. The ability to sense and interpret events about a changing business environment requires an event-driven IT infrastructure for performing fast and well-informed decisions and putting them into action. However, traditional Business Intelligence (BI) and Data Wareh ...

Keywords: data analysis, event sense & response, real-time business intelligence, real-time data warehousing and OLAP

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

13/07/08/10

 **PORTAL**
USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

SEARCH

[Help](#) [ACM Digital Library](#) [Advanced Search](#)

! [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used estimating query query condition generating dataset sampling regression function cardinality estimate data mining model

Found 2 of 184,245

Sort results by [Save results to a Binder](#)
 Display results [Search Tips](#)
 [Open results in a new window](#)

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 2 of 2

Relevance scale

1 [Query processing: Estimating compilation time of a query optimizer](#)

Ihab F. Ilyas, Jun Rao, Guy Lohman, Dengfeng Gao, Eileen Lin
 June 2003 **Proceedings of the 2003 ACM SIGMOD international conference on Management of data**

Publisher: ACM Press

Full text available: [pdf\(292.76 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A query optimizer compares alternative plans in its search space to find the best plan for a given query. Depending on the search space and the enumeration algorithm, optimizers vary in their compilation time and the quality of the execution plan they can generate.

This paper describes a compilation time estimator that provides a quantified estimate of the optimizer compilation time for a given query. Such an estimator is useful for automatically choosing the right level of optimization in comm ...

2 [Research sessions: query progress: Toward a progress indicator for database queries](#)

Gang Luo, Jeffrey F. Naughton, Curt J. Ellmann, Michael W. Watzke
 June 2004 **Proceedings of the 2004 ACM SIGMOD international conference on Management of data**

Publisher: ACM Press

Full text available: [pdf\(228.58 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Many modern software systems provide progress indicators for long-running tasks. These progress indicators make systems more user-friendly by helping the user quickly estimate how much of the task has been completed and when the task will finish. However, none of the existing commercial RDBMSs provides a non-trivial progress indicator for long-running queries. In this paper, we consider the problem of supporting such progress indicators.

After discussing the goals and challenges inherent in this ...

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

SEARCH 8/18/06

 **PORTAL**
USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

"estimating query" + "correlation query condition" + "generati

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [estimating query](#) [correlation query](#)
[condition generating dataset](#) [sampling regression](#)
[function cardinality estimate](#) [data mining model](#)

Found 2 of 184,245

Sort results by: relevance

Display results: expanded form

Save results to a Binder
 Search Tips
 Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 2 of 2

Relevance scale



1 Query processing: Estimating compilation time of a query optimizer

Ihab F. Ilyas, Jun Rao, Guy Lohman, Dengfeng Gao, Eileen Lin
 June 2003 **Proceedings of the 2003 ACM SIGMOD international conference on Management of data**

Publisher: ACM Press

Full text available: [pdf\(292.76 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A query optimizer compares alternative plans in its search space to find the best plan for a given query. Depending on the search space and the enumeration algorithm, optimizers vary in their compilation time and the quality of the execution plan they can generate. This paper describes a compilation time estimator that provides a quantified estimate of the optimizer compilation time for a given query. Such an estimator is useful for automatically choosing the right level of optimization in commen ...



2 Research sessions: query progress: Toward a progress indicator for database

queries
 Gang Luo, Jeffrey F. Naughton, Curt J. Ellmann, Michael W. Watzke
 June 2004 **Proceedings of the 2004 ACM SIGMOD international conference on Management of data**

Publisher: ACM Press

Full text available: [pdf\(228.58 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Many modern software systems provide progress indicators for long-running tasks. These progress indicators make systems more user-friendly by helping the user quickly estimate how much of the task has been completed and when the task will finish. However, none of the existing commercial RDBMSs provides a non-trivial progress indicator for long-running queries. In this paper, we consider the problem of supporting such progress indicators. After discussing the goals and challenges inherent in this ...



Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

8/18/06

PORTAL
 USPTO

Subscribe (Full Service) Register (Limited Service, Free) [Login](#)
Search: The ACM Digital Library The Guide
 SEARCH

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [method estimating query](#) [correlation query](#)
[condition generating dataset](#) [sampling regression](#)
[function cardinality estimate](#) [data mining](#)

Found 13 of 184,245

Sort results by relevance Save results to a Binder
 Search Tips
 Display results expanded form Open results in a new window

Try an [Advanced Search](#)
 Try this search in [The ACM Guide](#)

Results 1 - 13 of 13

Relevance scale

1 [Support vector machines: hype or hallelujah?](#)

Kristin P. Bennett, Colin Campbell
 December 2000 **ACM SIGKDD Explorations Newsletter**, Volume 2 Issue 2

Publisher: ACM Press

Full text available: [pdf\(1.26 MB\)](#) Additional Information: [full citation](#), [citations](#), [index terms](#)



Keywords: Support Vector Machines, kernel methods, statistical learning theory

2 [Industrial session: new data types and algorithms: SVM in oracle database 10g: removing the barriers to widespread adoption of support vector machines](#)

Boriana L. Milenova, Joseph S. Yarmus, Marcos M. Campos

August 2005 **Proceedings of the 31st international conference on Very large data bases VLDB '05**

Publisher: VLDB Endowment

Full text available: [pdf\(190.75 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)



Contemporary commercial databases are placing an increased emphasis on analytic capabilities. Data mining technology has become crucial in enabling the analysis of large volumes of data. Modern data mining techniques have been shown to have high accuracy and good generalization to novel data. However, achieving results of good quality often requires high levels of user expertise. Support Vector Machines (SVM) is a powerful state-of-the-art data mining algorithm that can address problems not amen ...

3 [Research track: Online novelty detection on temporal sequences](#)

Junshui Ma, Simon Perkins

August 2003 **Proceedings of the ninth ACM SIGKDD international conference on Knowledge discovery and data mining**

Publisher: ACM Press

Full text available: [pdf\(800.25 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)



In this paper, we present a new framework for online novelty detection on temporal sequences. This framework include a mechanism for associating each detection result with a confidence value. Based on this framework, we develop a concrete online detection

algorithm, by modeling the temporal sequence using an online support vector regression algorithm. Experiments on both synthetic and real world data are performed to demonstrate the promising performance of our proposed detection algorithm.

Keywords: anomaly detection, novelty detection, online algorithm, support vector regression

4 [Learning classifiers: Learning block importance models for web pages](#)



Ruihua Song, Haifeng Liu, Ji-Rong Wen, Wei-Ying Ma

May 2004 **Proceedings of the 13th international conference on World Wide Web**

Publisher: ACM Press

Full text available: [pdf\(1.23 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Previous work shows that a web page can be partitioned into multiple segments or blocks, and often the importance of those blocks in a page is not equivalent. Also, it has been proven that differentiating noisy or unimportant blocks from pages can facilitate web mining, search and accessibility. However, no uniform approach and model has been presented to measure the importance of different segments in web pages. Through a user study, we found that people do have a consistent view about the impo ...

Keywords: block importance model, classification, page segmentation, web mining

5 [Instance-based attribute identification in database integration](#)

Cecil Eng H. Chua, Roger H. L. Chiang, Ee-Peng Lim

October 2003 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 12 Issue 3

Publisher: Springer-Verlag New York, Inc.

Full text available: [pdf\(220.13 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

Abstract. Most research on attribute identification in database integration has focused on integrating attributes using schema and summary information derived from the attribute values. No research has attempted to fully explore the use of attribute values to perform attribute identification. We propose an attribute identification method that employs schema and summary instance information as well as properties of attributes derived from their instances. Unlike other attribute identification meth ...

Keywords: Attribute identification, Database integration, Measures of association

6 [Database technology for novel applications: MauveDB: supporting model-based user views in database systems](#)



Amol Deshpande, Samuel Madden

June 2006 **Proceedings of the 2006 ACM SIGMOD international conference on Management of data SIGMOD '06**

Publisher: ACM Press

Full text available: [pdf\(589.31 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Real-world data --- especially when generated by distributed measurement infrastructures such as sensor networks --- tends to be incomplete, imprecise, and erroneous, making it impossible to present it to users or feed it directly into applications. The traditional approach to dealing with this problem is to first process the data using statistical or probabilistic *models* that can provide more robust interpretations of the data. Current database systems, however, do not provide adequate s ...

Keywords: query processing, regression, sensor networks, statistical models, uncertain data, views

7 [Learning important models for web page blocks based on layout and content analysis](#)

 Ruihua Song, Halfeng Liu, Ji-Rong Wen, Wei-Ying Ma
December 2004 **ACM SIGKDD Explorations Newsletter**, Volume 6 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(601.78 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Previous work shows that a web page can be partitioned into multiple segments or blocks, and often the importance of those blocks in a page is not equivalent. It has also been proven that differentiating noisy and unimportant blocks from pages can facilitate web mining, search and accessibility. However, no uniform approach and model has been presented to measure the importance of different blocks in a web page. Through a user study, we found that people do have a consistent view about the impor ...

Keywords: block importance model, classification, page segmentation, web mining

8 [Adaptive performance prediction for distributed data-intensive applications](#)

 Marcio Faerman, Alan Su, Richard Wolski, Francine Berman
January 1999 **Proceedings of the 1999 ACM/IEEE conference on Supercomputing (CDROM)**

Publisher: ACM Press

Full text available:  [pdf\(292.25 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

9 [Articles on microarray data mining: Loss-based estimation with cross-validation: applications to microarray data analysis](#)

 Sandrine Dudoit, Mark J. van der Laan, Sündüz Keleş, Annette M. Molinaro, Sandra E. Sinisi, Siew Leng Teng
December 2003 **ACM SIGKDD Explorations Newsletter**, Volume 5 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(325.39 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Current statistical inference problems in genomic data analysis involve parameter estimation for high-dimensional multivariate distributions, with typically unknown and intricate correlation patterns among variables. Addressing these inference questions satisfactorily requires: (i) an intensive and thorough search of the parameter space to generate good candidate estimators; (ii) an approach for selecting an optimal estimator among these candidates; and (iii) a method for reliably assessing the ...

Keywords: censored data, classification, comparative genomic hybridization, cross-validation, density estimation, estimation, loss function, microarray, model selection, multivariate outcome, prediction, regression trees, risk, survival analysis, variable selection

10 [A Modified Finite Newton Method for Fast Solution of Large Scale Linear SVMs](#)

S. Sathiya Keerthi, Dennis DeCoste
September 2005 **The Journal of Machine Learning Research**, Volume 6

Publisher: MIT Press

Full text available:  [pdf\(157.28 KB\)](#) Additional Information: [full citation](#), [abstract](#)

This paper develops a fast method for solving linear SVMs with L_2 loss function that is suited for large scale data mining tasks such as text classification. This is done by modifying the finite Newton method of Mangasarian in several ways. Experiments indicate that the method is much faster than decomposition methods such as SVM^{light}, SMO and BSVM (e.g., 4-100 fold), especially when the number of examples is large. The paper also suggests ways of extending the metho ...

11 A Modified Finite Newton Method for Fast Solution of Large Scale Linear SVMs 

S. Sathiya Keerthi, Dennis DeCoste

September 2005 **The Journal of Machine Learning Research**, Volume 6

Publisher: MIT Press

Full text available:  pdf(195.71 KB) Additional Information: [full citation](#), [abstract](#), [citations](#)

This paper develops a fast method for solving linear SVMs with L_2 loss function that is suited for large scale data mining tasks such as text classification. This is done by modifying the finite Newton method of Mangasarian in several ways. Experiments indicate that the method is much faster than decomposition methods such as SVM^{light}, SMO and BSVM (e.g., 4-100 fold), especially when the number of examples is large. The paper also suggests ways of extending the metho ...

12 Statistical methods I: MARK: a boosting algorithm for heterogeneous kernel models 

 Kristin P. Bennett, Michinari Momma, Mark J. Embrechts

July 2002 **Proceedings of the eighth ACM SIGKDD international conference on Knowledge discovery and data mining**

Publisher: ACM Press

Full text available:  pdf(774.00 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Support Vector Machines and other kernel methods have proven to be very effective for nonlinear inference. Practical issues are how to select the type of kernel including any parameters and how to deal with the computational issues caused by the fact that the kernel matrix grows quadratically with the data. Inspired by ensemble and boosting methods like MART, we propose the Multiple Additive Regression Kernels (MARK) algorithm to address these issues. MARK considers a large (potentially infinite ...

13 Research papers: optimization: Proactive re-optimization 

 Shivnath Babu, Pedro Bizarro, David DeWitt

June 2005 **Proceedings of the 2005 ACM SIGMOD international conference on Management of data**

Publisher: ACM Press

Full text available:  pdf(419.53 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

Traditional query optimizers rely on the accuracy of estimated statistics to choose good execution plans. This design often leads to suboptimal plan choices for complex queries, since errors in estimates for intermediate subexpressions grow exponentially in the presence of skewed and correlated data distributions. Reoptimization is a promising technique to cope with such mistakes. Current re-optimizers first use a traditional optimizer to pick a plan, and then react to estimation errors and resu ...

Results 1 - 13 of 13

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

13/06 8/18/06

PORTAL
USPTO

Subscribe (Full Service)
Register (Limited Service, Free)
[Login](#)

Search:
 The ACM Digital Library
 The Guide

"system estimating query" + "correlation query condition" + "generating... Page 1 of 4"
[SEARCH](#)

[Feedback](#)
[Report a problem](#)
[Satisfaction survey](#)

Terms used system estimating query correlation query condition generating dataset sampling regression function cardinality estimate data mining

Found 13 of 184,245

Sort results by Save results to a Binder
 Search Tips
Display results Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 13 of 13

Relevance scale

1 Support vector machines: hype or hallelujah?



Kristin P. Bennett, Colin Campbell
December 2000 **ACM SIGKDD Explorations Newsletter**, Volume 2 Issue 2

Publisher: ACM Press

Full text available: pdf(1.26 MB)

Additional Information: [full citation](#), [citations](#), [index terms](#)

Keywords: Support Vector Machines, kernel methods, statistical learning theory

2 Industrial session: new data types and algorithms: SVM in oracle database 10g: removing the barriers to widespread adoption of support vector machines



Boriana L. Milenova, Joseph S. Yarmus, Marcos M. Campos

August 2005 **Proceedings of the 31st international conference on Very large data bases VLDB '05**

Publisher: VLDB Endowment

Full text available: pdf(190.75 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Contemporary commercial databases are placing an increased emphasis on analytic capabilities. Data mining technology has become crucial in enabling the analysis of large volumes of data. Modern data mining techniques have been shown to have high accuracy and good generalization to novel data. However, achieving results of good quality often requires high levels of user expertise. Support Vector Machines (SVM) is a powerful state-of-the-art data mining algorithm that can address problems not amen ...

3 Research track: Online novelty detection on temporal sequences



Junshui Ma, Simon Perkins

August 2003 **Proceedings of the ninth ACM SIGKDD international conference on Knowledge discovery and data mining**

Publisher: ACM Press

Full text available: pdf(800.25 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this paper, we present a new framework for online novelty detection on temporal sequences. This framework include a mechanism for associating each detection result with a confidence value. Based on this framework, we develop a concrete online detection

algorithm, by modeling the temporal sequence using an online support vector regression algorithm. Experiments on both synthetic and real world data are performed to demonstrate the promising performance of our proposed detection algorithm.

Keywords: anomaly detection, novelty detection, online algorithm, support vector regression

4 Learning classifiers: Learning block importance models for web pages

 Ruihua Song, Haifeng Liu, Ji-Rong Wen, Wei-Ying Ma
May 2004 **Proceedings of the 13th international conference on World Wide Web**

Publisher: ACM Press

Full text available:  pdf(1.23 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Previous work shows that a web page can be partitioned into multiple segments or blocks, and often the importance of those blocks in a page is not equivalent. Also, it has been proven that differentiating noisy or unimportant blocks from pages can facilitate web mining, search and accessibility. However, no uniform approach and model has been presented to measure the importance of different segments in web pages. Through a user study, we found that people do have a consistent view about the impo ...

Keywords: block importance model, classification, page segmentation, web mining

5 Instance-based attribute identification in database integration

Cecil Eng H. Chua, Roger H. L. Chiang, Ee-Peng Lim
October 2003 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 12 Issue 3

Publisher: Springer-Verlag New York, Inc.

Full text available:  pdf(220.13 KB)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

Abstract. Most research on attribute identification in database integration has focused on integrating attributes using schema and summary information derived from the attribute values. No research has attempted to fully explore the use of attribute values to perform attribute identification. We propose an attribute identification method that employs schema and summary instance information as well as properties of attributes derived from their instances. Unlike other attribute identification meth ...

Keywords: Attribute identification, Database integration, Measures of association

6 Database technology for novel applications: MauveDB: supporting model-based user

 views in database systems
Amol Deshpande, Samuel Madden
June 2006 **Proceedings of the 2006 ACM SIGMOD international conference on Management of data SIGMOD '06**

Publisher: ACM Press

Full text available:  pdf(589.31 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Real-world data --- especially when generated by distributed measurement infrastructures such as sensor networks --- tends to be incomplete, imprecise, and erroneous, making it impossible to present it to users or feed it directly into applications. The traditional approach to dealing with this problem is to first process the data using statistical or probabilistic *models* that can provide more robust interpretations of the data. Current database systems, however, do not provide adequate s ...

Keywords: query processing, regression, sensor networks, statistical models, uncertain data, views

7 Learning important models for web page blocks based on layout and content analysis

 Ruihua Song, Haifeng Liu, Ji-Rong Wen, Wei-Ying Ma
December 2004 **ACM SIGKDD Explorations Newsletter**, Volume 6 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(601.78 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Previous work shows that a web page can be partitioned into multiple segments or blocks, and often the importance of those blocks in a page is not equivalent. It has also been proven that differentiating noisy and unimportant blocks from pages can facilitate web mining, search and accessibility. However, no uniform approach and model has been presented to measure the importance of different blocks in a web page. Through a user study, we found that people do have a consistent view about the impor ...

Keywords: block importance model, classification, page segmentation, web mining

8 Adaptive performance prediction for distributed data-intensive applications

 Marcio Faerman, Alan Su, Richard Wolski, Francine Berman
January 1999 **Proceedings of the 1999 ACM/IEEE conference on Supercomputing (CDROM)**

Publisher: ACM Press

Full text available:  [pdf\(292.25 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

9 Articles on microarray data mining: Loss-based estimation with cross-validation: applications to microarray data analysis

 Sandrine Dudoit, Mark J. van der Laan, Sündüz Keleş, Annette M. Molinaro, Sandra E. Sinisi, Siew Leng Teng
December 2003 **ACM SIGKDD Explorations Newsletter**, Volume 5 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(325.39 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Current statistical inference problems in genomic data analysis involve parameter estimation for high-dimensional multivariate distributions, with typically unknown and intricate correlation patterns among variables. Addressing these inference questions satisfactorily requires: (i) an intensive and thorough search of the parameter space to generate good candidate estimators; (ii) an approach for selecting an optimal estimator among these candidates; and (iii) a method for reliably assessing the ...

Keywords: censored data, classification, comparative genomic hybridization, cross-validation, density estimation, estimation, loss function, microarray, model selection, multivariate outcome, prediction, regression trees, risk, survival analysis, variable selection

10 A Modified Finite Newton Method for Fast Solution of Large Scale Linear SVMs

S. Sathiya Keerthi, Dennis DeCoste
September 2005 **The Journal of Machine Learning Research**, Volume 6

Publisher: MIT Press

Full text available:  [pdf\(157.28 KB\)](#) Additional Information: [full citation](#), [abstract](#)

This paper develops a fast method for solving linear SVMs with L_2 loss function that is suited for large scale data mining tasks such as text classification. This is done by modifying the finite Newton method of Mangasarian in several ways. Experiments indicate that the method is much faster than decomposition methods such as SVM^{light}, SMO and BSVM (e.g., 4-100 fold), especially when the number of examples is large. The paper also suggests ways of extending the metho ...

11 A Modified Finite Newton Method for Fast Solution of Large Scale Linear SVMs

S. Sathiya Keerthi, Dennis DeCoste

September 2005 **The Journal of Machine Learning Research**, Volume 6

Publisher: MIT Press

Full text available:  pdf(195.71 KB) Additional Information: [full citation](#), [abstract](#), [citations](#)

This paper develops a fast method for solving linear SVMs with L_2 loss function that is suited for large scale data mining tasks such as text classification. This is done by modifying the finite Newton method of Mangasarian in several ways. Experiments indicate that the method is much faster than decomposition methods such as SVM^{light}, SMO and BSVM (e.g., 4-100 fold), especially when the number of examples is large. The paper also suggests ways of extending the metho ...

12 Statistical methods I: MARK: a boosting algorithm for heterogeneous kernel models

 Kristin P. Bennett, Michinari Momma, Mark J. Embrechts

July 2002 **Proceedings of the eighth ACM SIGKDD international conference on Knowledge discovery and data mining**

Publisher: ACM Press

Full text available:  pdf(774.00 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Support Vector Machines and other kernel methods have proven to be very effective for nonlinear inference. Practical issues are how to select the type of kernel including any parameters and how to deal with the computational issues caused by the fact that the kernel matrix grows quadratically with the data. Inspired by ensemble and boosting methods like MART, we propose the Multiple Additive Regression Kernels (MARK) algorithm to address these issues. MARK considers a large (potentially infinite ...

13 Research papers: optimization: Proactive re-optimization

 Shivnath Babu, Pedro Bizarro, David DeWitt

June 2005 **Proceedings of the 2005 ACM SIGMOD international conference on Management of data**

Publisher: ACM Press

Full text available:  pdf(419.53 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

Traditional query optimizers rely on the accuracy of estimated statistics to choose good execution plans. This design often leads to suboptimal plan choices for complex queries, since errors in estimates for intermediate subexpressions grow exponentially in the presence of skewed and correlated data distributions. Reoptimization is a promising technique to cope with such mistakes. Current re-optimizers first use a traditional optimizer to pick a plan, and then react to estimation errors and resu ...

Results 1 - 13 of 13

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

SEARCH RESULTS

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#) [e-mail](#)

Results for "(((estimat* <paragraph> (query* <near> condition)) <and> cardinality)<in>met..."

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.**» Search Options**[View Session History](#)[New Search](#)**Modify Search** Check to search only within this results setDisplay Format: Citation Citation & Abstract**» Key****IEEE JNL** IEEE Journal or Magazine**IEE JNL** IEE Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IEE CNF** IEE Conference Proceeding**IEEE STD** IEEE Standard**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec®

SEARCH 8/18/06

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "((estimat* <paragraph> (query* <near> condition)) <and> cardinalities)<in>m..."
Your search matched 0 documents.A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending** order.» **Search Options**[View Session History](#)**Modify Search**[New Search](#) Check to search only within this results setDisplay Format: Citation Citation & Abstract» **Key****IEEE JNL** IEEE Journal or Magazine**IEE JNL** IEE Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IEE CNF** IEE Conference Proceeding**IEEE STD** IEEE Standard**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec®



RELEASE 2.1

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

SEARCH RESULTS**BROWSE****SEARCH****IEEE Xplore Guide**

Results for "((estimat* <paragraph> query*) <and> (regression <near> function))<in>metadata..."
 Your search matched 4 of 1392165 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending order**.

» Search Options[View Session History](#)[New Search](#)**Modify Search**

Search

 Check to search only within this results set

Display Format: Citation Citation & Abstract

view selected items

[Select All](#) [Deselect All](#)
» Key
IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

 1. **Image retrieval based on similarity learning**

El-Naqa, I.; Wernick, M.N.; Yongyi Yang; Galatsanos, N.P.;
[Image Processing, 2000. Proceedings. 2000 International Conference on](#)
 Volume 3, 10-13 Sept. 2000 Page(s):722 - 725 vol.3
 Digital Object Identifier 10.1109/ICIP.2000.899556

[AbstractPlus](#) | Full Text: [PDF\(312 KB\)](#) **IEEE CNF**
[Rights and Permissions](#)
 2. **Gaussian process regression: active data selection and test point rejection**

Sambu Seo; Wallat, M.; Graepel, T.; Obermayer, K.;
[Neural Networks, 2000. IJCNN 2000. Proceedings of the IEEE-INNS-ENNS International Conference on](#)
 Volume 3, 24-27 July 2000 Page(s):241 - 246 vol.3
 Digital Object Identifier 10.1109/IJCNN.2000.861310

[AbstractPlus](#) | Full Text: [PDF\(412 KB\)](#) **IEEE CNF**
[Rights and Permissions](#)
 3. **Stochastic simulations of rejected World Wide Web pages**

Meghabghab, G.;
[Modeling, Analysis and Simulation of Computer and Telecommunication Systems, 2000. Proceedings. 8th International Symposium on](#)
[Proceedings. 8th International Symposium on](#)
 29 Aug.-1 Sept. 2000 Page(s):483 - 491
 Digital Object Identifier 10.1109/MASCOT.2000.876575

[AbstractPlus](#) | Full Text: [PDF\(1064 KB\)](#) **IEEE CNF**
[Rights and Permissions](#)
 4. **Approximate query answering in numerical databases**

Hachem, N.; Chenye Bao; Taylor, S.;
[Scientific and Statistical Database Systems, 1996. Proceedings., Eighth International Conference on](#)
 18-20 June 1996 Page(s):63 - 73
 Digital Object Identifier 10.1109/SSDM.1996.505916

[AbstractPlus](#) | Full Text: [PDF\(880 KB\)](#) **IEEE CNF**
[Rights and Permissions](#)
[Help](#) [Contact Us](#) [Privacy &](#)



© Copyright 2006 IEEE -

8/18/06
12:57[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((estimat* <near> selective <near> query*) <and> (data <near> min* <near...>)"

[e-mail](#)

Your search matched 1 of 1392165 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» [Search Options](#)[View Session History](#)[Modify Search](#)[New Search](#) » [Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)**1. Efficient XML query processing in mediators**

Liang Huai Yang; Shiwei Tang; Dongqing Yang; Lijun Chen;

[Database and Expert Systems Applications, 2001. Proceedings. 12th International Conference on](#)

3-7 Sept. 2001 Page(s):27 - 31

Digital Object Identifier 10.1109/DEXA.2001.953037

[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) [IEEE CNF](#)[Rights and Permissions](#)[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec